

---

# **sphinxcontrib-bibtex Documentation**

*Release 0.2.4*

**Matthias C. M. Troffaes**

August 24, 2012



# CONTENTS



**Release** 0.2.4

**Date** August 24, 2012



# CONTENTS

## 1.1 Getting Started

### 1.1.1 Overview

A Sphinx extension for BibTeX style citations.

This extension allows BibTeX citations to be inserted into documentation generated by Sphinx, via a `bibliography` directive, and a `cite` role, which work similarly to LaTeX's `\bibliography` and `\cite` commands.

Inspired by `bibstuff.sphinxext.bibref` by Matthew Brett.

- Download: <http://pypi.python.org/pypi/sphinxcontrib-bibtex/#downloads>
- Documentation: <http://sphinxcontrib-bibtex.readthedocs.org/>
- Development: <http://github.com/mcmtroffaes/sphinxcontrib-bibtex/>

### 1.1.2 Installation

Install the module with `pip install sphinxcontrib-bibtex`, or from source using `python setup.py install`. Then add:

```
extensions = ['sphinxcontrib.bibtex']
```

to your project's Sphinx configuration file `conf.py`.

### 1.1.3 Minimal Example

In your project's documentation, you can then write for instance:

```
See :cite:'1987:nelson' for an introduction to non-standard analysis.
```

```
.. bibliography:: refs.bib
```

where `refs.bib` would contain an entry:

```
@Book{1987:nelson,  
  author = {Edward Nelson},  
  title = {Radically Elementary Probability Theory},  
  publisher = {Princeton University Press},  
  year = {1977},
```

```
series = {Annals of Mathematical Studies}
}
```

## 1.2 Usage

### 1.2.1 Roles and Directives

#### **:cite:**

Create a citation to a bibliographic entry. For example:

```
See :cite:`1987:nelson` for an introduction to non-standard analysis.
```

which would be equivalent to the following LaTeX code:

```
See \cite{1987:nelson} for an introduction to non-standard analysis.
```

#### **.. bibliography:: refs.bib [...]**

Create bibliography for all cited references. The `all` flag forces all references to be included (equivalent to `\nocite{*}` in LaTeX). The `notcited` flag causes all references that were not cited to be included. The `cited` flag is recognized as well but is entirely optional. For example:

```
.. rubric:: References

.. bibliography:: refs.bib
   :cited:

.. rubric:: Further reading

.. bibliography:: refs.bib
   :notcited:
```

**Warning:** Sphinx will attempt to resolve references to the bibliography across all documents, so you must take care that no citation key is included more than once.

You can also pick a bibliography style, using the `style` option. This is not yet quite as useful, as only `plain` and `unsrt` are supported. The `plain` style is the default.

```
.. bibliography:: refs.bib
   :style: unsrt
```

All citations have numbered labels, as in the `plain` LaTeX bibliography style, regardless of the style chosen. This limitation might be lifted in a future version.

You can also set the encoding of the bibliography files, using the `encoding` option.

```
.. bibliography:: refs.bib
   :encoding: latex+latin
```

Note that, usually, you want to prepend your encoding with `latex+`, in order to convert LaTeX control characters to unicode characters (for instance, to convert `\'e` into `é`). The `latex` codec is invoked by default, for your convenience. Be sure to write `\%` when you intend to format a percent sign.

You can also change the type of list used for rendering the bibliography. By default, a paragraph of standard citations will be generated. However, instead, you can also generate a bullet list, or an enumerated list.



```
.. bibliography:: refs1.bib
   :list: bullet
   :all:

.. bibliography:: refs2.bib
   :list: enumerated
   :all:
```

Note that citations to these types of bibliography lists will not be resolved.

For enumerated lists, you can also specify the type (default is `arabic`), and the start of the sequence (default is 1).

```
.. bibliography:: refs2.bib
   :list: enumerated
   :enumtype: upperroman
   :start: 3
   :all:
```

The `enumtype` can be any of `arabic` (1, 2, 3, ...), `loweralpha` (a, b, c, ...), `upperalpha` (A, B, C, ...), `lowerroman` (i, ii, iii, ...), or `upperroman` (I, II, III, ...).

The `start` can be any positive integer (1, 2, 3, ...) or `continue` if you wish the enumeration to continue from the last bibliography. This is helpful if you split up your bibliography but still want to enumerate the entries continuously.

## 1.2.2 Known Issues and Workarounds

### Tinkerer

To use the bibtex extension with `Tinkerer`, be sure to specify the bibtex extension first in your `conf.py` file:

```
extensions = ['sphinxcontrib.bibtex', 'tinkerer.ext.blog', 'tinkerer.ext.disqus']
```

### Encoding: Percent Signs

When using the LaTeX codec (which is by default), be sure to write `\%` for percent signs at all times (unless your file contains a genuine comment), otherwise the bibtex lexer will ignore the remainder of the line.

If you don't want any LaTeX symbols to be reinterpreted as unicode, use the option `:encoding: utf` (without the `latex+` prefix).

### Unresolved Citations Across Documents

If you cite something that has its bibliography in another document, then, at the moment, the extension may, or may not, realise that it has to add this citation. The way to work around this problem is to either use the option `:all:` in the `bibliography` directive (which will simply cause all entries to be included), or to somehow ensure that the `bibliography` directive is processed after all `:cite:s`. (Sphinx appears to process files in an alphabetical manner.)

Hopefully, this limitation can be lifted in a future release.

## KeyError When Using `:style: plain`

When using the plain style, or any style that sorts entries, pybtex may raise `KeyError: 'author'` for entries that have no author. A patch has been submitted upstream:

<https://code.launchpad.net/~matthias-troffaes/pybtex/sorting-bugfix>

## 1.3 Extension API

### 1.3.1 Sphinx Interface

`sphinxcontrib.bibtex.setup(app)`

Set up the bibtex extension:

- register directives
- register nodes
- register roles
- register transforms
- connect events to functions

**Parameters** `app` (`sphinx.application.Sphinx`) – The sphinx application.

`sphinxcontrib.bibtex.init_bibtex_cache(app)`

Create `app.env.bibtex_cache` if it does not exist yet. Reset citation label dictionary.

**Parameters** `app` (`sphinx.application.Sphinx`) – The sphinx application.

`sphinxcontrib.bibtex.purge_bibtex_cache(app, env, docname)`

Remove all information related to `docname` from the cache.

#### Parameters

- `app` (`sphinx.application.Sphinx`) – The sphinx application.
- `env` (`sphinx.environment.BuildEnvironment`) – The sphinx build environment.

`sphinxcontrib.bibtex.process_citations(app, doctree, docname)`

Replace labels of citation nodes by actual labels.

#### Parameters

- `app` (`sphinx.application.Sphinx`) – The sphinx application.
- `doctree` (`docutils.nodes.document`) – The document tree.
- `docname` (`str`) – The document name.

`sphinxcontrib.bibtex.process_citation_references(app, doctree, docname)`

Replace text of citation reference nodes by actual labels.

#### Parameters

- `app` (`sphinx.application.Sphinx`) – The sphinx application.
- `doctree` (`docutils.nodes.document`) – The document tree.
- `docname` (`str`) – The document name.

### 1.3.2 New Doctree Roles

```
class sphinxcontrib.bibtex.roles.CiteRole (fix_parens=False,          lowercase=False,
                                           nodeclass=None,          innernodeclass=None,
                                           warn_dangling=False)
```

Bases: sphinx.roles.XRefRole

Class for processing the `cite` role.

**result\_nodes** (*document, env, node, is\_ref*)

Transform reference node into a citation reference, and note that the reference was cited.

### 1.3.3 New Doctree Nodes

```
class sphinxcontrib.bibtex.nodes.bibliography (rawsource='', *children, **attributes)
    Node for representing a bibliography. Replaced by a list of citations by BibliographyTransform.
```

### 1.3.4 New Doctree Directives

```
class sphinxcontrib.bibtex.directives.BibliographyDirective (name,          arguments,
                                                            options,          content,
                                                            lineno,          content_offset,
                                                            block_text,          state,
                                                            state_machine)
```

Class for processing the `bibliography` directive.

Parses the bibliography files, and produces a `bibliography` node.

**See Also:**

Further processing of the resulting `bibliography` node is done by `BibliographyTransform`.

**run** ()

Process `.bib` files, set file dependencies, and create a node that is to be transformed to the entries of the bibliography.

**process\_bibfile** (*bibfile, encoding*)

Check if `env.bibtex_cache.bibfiles[bibfile]` is still up to date. If not, parse the `bibfile` (see `update_bibfile_cache()`), and store parsed data in the bibtex cache.

**Parameters** `bibfile` (`str`) – The bib file name.

**Returns** The parsed bibliography data.

**Return type** `pybtex.database.BibliographyData`

**update\_bibfile\_cache** (*bibfile, mtime, encoding*)

Parse `bibfile` (see `parse_bibfile()`), and store the parsed data, along with modification time `mtime`, in the bibtex cache.

**Parameters**

- `bibfile` (`str`) – The bib file name.
- `mtime` (`float`) – The bib file's modification time.

**Returns** The parsed bibliography data.

**Return type** `pybtex.database.BibliographyData`

**parse\_bibfile** (*bibfile*, *encoding*)

Parse *bibfile*, and return parsed data.

**Parameters** **bibfile** (*str*) – The bib file name.

**Returns** The parsed bibliography data.

**Return type** `pybtex.database.BibliographyData`

### 1.3.5 New Doctree Transforms

**class** `sphinxcontrib.bibtex.transforms.BibliographyTransform` (*document*, *startnode=*`None`)

**default\_priority** = 10

Priority of the transform. See <http://docutils.sourceforge.net/docs/ref/transforms.html>

**apply** ()

Transform each `bibliography` node into a list of citations.

### 1.3.6 Cached Information

Classes and methods to maintain any information that is stored outside the doctree.

**class** `sphinxcontrib.bibtex.cache.Cache`

Global bibtex extension information cache. Stored in `app.env.bibtex_cache`, so must be picklable.

**bibfiles**

A `dict` mapping `.bib` file names (relative to the top source folder) to `BibfileCache` instances.

**bibliographies**

Each bibliography directive is assigned an id of the form `bibtex-bibliography-xxx`. This `dict` maps each such id to information about the bibliography directive, `BibliographyCache`. We need to store this extra information separately because it cannot be stored in the `bibliography` nodes themselves.

**\_cited**

A `dict` mapping each docname to a `set` of citation keys.

**\_enum\_count**

A `dict` mapping each docname to an `int` representing the current bibliography enumeration counter.

**add\_cited** (*key*, *docname*)

Add the given *key* to the set of cited keys for *docname*.

**Parameters**

- **key** (*str*) – The citation key.
- **docname** (*str*) – The document name.

**get\_label\_from\_key** (*key*)

Return label for the given key.

**is\_cited** (*key*)

Return whether the given key is cited in any document.

**Parameters** **key** (*str*) – The citation key.

**purge** (*docname*)

Remove all information related to *docname*.

**Parameters** **docname** (*str*) – The document name.

**class** sphinxcontrib.bibtex.cache.**BibfileCache** (*mtime=None, data=None*)  
 Contains information about a parsed .bib file.

**mtime**

A float representing the modification time of the .bib file when it was last parsed.

**data**

A pybtex.database.BibliographyData containing the parsed .bib file.

**class** sphinxcontrib.bibtex.cache.**BibliographyCache** (*docname=None, bibfiles=None, cite='cited', style=None, list\_='citation', enumtype='arabic', start=1, labels=None, encoding=None, curly\_bracket\_strip=True*)

Contains information about a bibliography directive.

**docname**

A str containing the name of the document in which the directive occurs. We need this information during the Sphinx event *env-purge-doc*.

**bibfiles**

A list of strs containing the .bib file names (relative to the top source folder) that contain the references.

**cite**

A str. Should be one of:

"**cited**" Only generate cited references.

"**notcited**" Only generated non-cited references.

"**all**" Generate all references from the .bib files.

**style**

The bibtex style.

**list\_**

The list type.

**enumtype**

The sequence type (only used for enumerated lists).

**start**

The first ordinal of the sequence (only used for enumerated lists).

**labels**

Maps citation keys to their final labels.

## 1.4 Changes

### 1.4.1 0.2.4 (24 August 2012)

- New options for the bibliography directive for rendering the bibliography as bullet lists or enumerated lists: `:list:`, `:enumtype:`, and `:start:`.
- Minor latex codec fixes.
- Turn exception into warning when a citation cannot be relabeled (fixes issue #2).
- Document LaTeX encoding, and how to turn it off (issue #4).

- Use pybtex labels (fixes issue #6 and issue #7).
- Cache tracked citation keys and labels, and bibliography enumeration counts (fixes issues with citations in repeated Sphinx runs).
- Bibliography ids are now unique across documents (fixes issue that could cause the wrong bibliography to be inserted).
- The plain style is now the default (addresses issue #9).

### **1.4.2 0.2.3 (30 July 2012)**

- Document workaround for Tinkerer (issue #1).
- Use tox for testing.
- Full 2to3 compatibility.
- Document supported versions of Python (2.6, 2.7, 3.1, and 3.2).

### **1.4.3 0.2.2 (6 July 2012)**

- Documentation and manifest fixes.

### **1.4.4 0.2.1 (19 June 2012)**

- First public release.

## **1.5 License**

sphinxcontrib-bibtex is a Sphinx extension for BibTeX style citations

Copyright (c) 2011-2012 by Matthias C. M. Troffaes

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS “AS IS” AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# INDICES AND TABLES

- *genindex*
- *modindex*
- *search*





# PYTHON MODULE INDEX

## S

sphinxcontrib.bibtex, ??  
sphinxcontrib.bibtex.cache, ??  
sphinxcontrib.bibtex.directives, ??  
sphinxcontrib.bibtex.nodes, ??  
sphinxcontrib.bibtex.roles, ??  
sphinxcontrib.bibtex.transforms, ??